



Finish. First.™



Best tools in [Micropolishing](#)



## Locations Company Details

### OSBORN International GmbH

Subsidiary of Jason GmbH  
Ringstrasse 10  
35099 Burgwald  
Alemania  
Tel.: +49 64515880  
Fax: +49 6451588206  
info@osborn.de

### OSBORN Unipol S.A.

Parc d'Activités Les Doucettes 23  
Avenue des Morillons  
95140 Garges Lès Gonesse  
Francia  
Tel.: +33 134450600  
Fax: +33 139936711  
contact@lippert-unipol.fr

### OSBORN International AB

Huskvarnavägen 105  
56123 Huskvarna  
Suecia  
Tel.: +46 36389200  
Fax: +46 36133190  
info@osborn.se

### OSBORN Unipol Lda

Rua de Pardelhas  
4805-062 Brito-Guimarães  
Portugal  
Tel.: +351 253479550  
Fax: +351 253576629  
osborn-unipol@osborn-unipol.pt

### OSBORN International Rm.

505, Tower H Huiyuan Int. Apartment  
No. 8 Beichen East Road, Chaoyang District  
Beijing, 100101  
China  
Tel.: +86 1084988191  
Fax: +86 1064991863  
cnsales@osborn.com

### OSBORN International GmbH

Subsidiary of Jason GmbH  
Betriebsstätte Haan  
Rudolf-Harbig-Weg 10  
42781 Haan  
Alemania  
Tel.: +49 212993070  
Fax: +49 2129930723  
sales.unipol@lippert-unipol.de

### OSBORN Unipol S.A.

Parc d'Activités de la Fringale  
27100 Val de Reuil  
Francia  
Tel.: +33 232095050  
Fax: +33 232250692  
contact@lippert-unipol.fr

### OSBORN International A/S

Nr. Bjertvej 103  
6000 Kolding  
Dinamarca  
Tel.: +45 76327632  
Fax: +45 76327600  
info@osborn.dk

### OSBORN International Ltda.

Rua Lemos Torres, 150 - Jardim Gagliardi  
09890-070 São Bernardo do Campo  
Brasil  
Tel.: +55 1143916559  
Fax: +55 1143916550  
osborn@osborn.com.br

### JacksonLea de Mexico

Emilio Cárdenas No. 211  
Centro Industrial Tlalnepantla  
Tlalnepantla Edo. México, 54030  
México  
Tel.: +52 5555659555

### OSBORN Unipol (UK) Limited

Avenue West  
Newhouse Farm Industrial Estate  
Chepstow NP16 6UD  
Reino Unido  
Tel.: +44 1291643200  
Fax: +44 1291643298  
sales@osborn-unipol.co.uk

### OSBORN - Unipol, S.L.

Ronda Norte, 320  
(Poligono Industrial) - Apartado 169  
46470 Catarroja (Valencia)  
España  
Tel.: +34 961325876  
Fax: +34 961324602  
ventas@osborn-unipol.es

### OSBORN International SRL

Bd. Bucovina, Nr. 151  
725300 Gura Humorului, jud. Suceava  
Rumania  
Tel.: +40 230234212  
Fax: +40 230531785  
sales@osborn.ro

### OSBORN Lippert (India) Pvt. Ltd.

Plot No. E-66, MIDC Waluj  
Aurangabad - 431 136  
India  
Tel.: +91 2402556538  
Fax: +91 2402552530  
sales@osborn-lippert.co.in


### OSBORN International

1100 Resource Drive, Suite 1  
Brooklyn Heights, OH 44131-1854  
Estados Unidos  
Tel.: +1 2163611900  
Fax: +1 2163611913  
brushes@osborn.com

# Your Global Support in surface finishing solutions

Companies all over the world trust in the quality and performance of OSBORN. High performance surface finishing tools are produced and developed for a diverse number of industrial applications. Technological Centres are located at our production sites in Germany, UK, USA, Swe-

den, India, Brazil, Portugal, France, Spain, Mexico, Rumania, Denmark and China, with further sales support provided by our sales organisations and distributors worldwide.



## Index

Locations	1	Wheel Brushes with Shaft	8
Index	2	Felt with/without Shaft	9
Polishing Compound	3	Hand Brushes	10-11
Polishing Compound - Recommendations	4	Multi-Purpose Cleaning Brushes	11
Materials	5	Cotton/Cloth Buffs	12
Wheel Brushes	6-7	Cotton Buffs	12
		Lipprite / Lipprox Wheels	12
		Goblet Brushes	13

# Compounds

## Recommendations For Use

	Steel	Stainless Steel	Gold	Non Ferrous	Hard Steel	Silver	Plastic	Chromium	Titanium	Pre-polishing	Polishing	Mirror Polishing
<b>DIALUX® RED</b>			OK									OK
<b>DIALUX® GREEN</b>					OK							OK
<b>DIALUX® WHITE</b>	OK	OK	OK	OK	OK	OK	OK				OK	OK
<b>DIALUX® BLUE</b>	OK	OK										OK
<b>DIALUX® YELLOW</b>				OK	OK		OK	OK		OK		
<b>DIALUX® ORANGE</b>	OK	OK								OK		
<b>DIALUX® GREY</b>		OK									OK	
<b>DIALUX® BLACK</b>						OK						OK
<b>AA ROUGE</b>	OK	OK	OK	OK	OK	OK		OK	OK			OK
<b>EXPORT LUSTRE</b>	OK	OK	OK			OK	OK			OK	OK	
<b>HYFIN</b>	OK	OK	OK	OK	OK	OK	OK	OK	OK		OK	OK
<b>UNIPOL® 0462</b>	OK	OK	OK	OK	OK	OK	OK	OK	OK		OK	OK

### Adhere well, long lasting, easy to use with OSBORN Cotton and Sisal Mops, Felts.

## Recommendations For Use

Polishing or brightening precious metals. Use with soft cloth mops.

Bright polishing of hard alloys like white gold, platinum, chrome and stainless steel. Also suitable for silver. Use with soft cloth mops.

Perfect for sterling silver and other silver alloys. Good reflection properties. Use with soft white mops or cloths.

Versatile choice to polish a range of metals including silver. Use with soft white mops.

Cutting compound for softer metals: plastics, resins and lacquer. Use with harder stitched cotton cloth mops.

Cutting compound for harder metals: steel, stainless steel and platinum. Use with harder mops made of sisal or close stitched cotton cloth.

Cuts well, removes deeper scratches and refreshes stainless steel. Use with a cloth or close stitched cotton cloth mops.

Final finishing on silver. Use with close stitched cotton mops

Dry ultra-fine rouge for gold and silver finishing.

High quality Tripoli composition.

Economical composition for finishing chrome-plate, stainless steel and non-ferrous metals.

Finishing composition for steel and stainless steel.













**DIALUX® Jewellery and Denture Polishing Compounds**  
**DIALUX® - an Osborn-Unipol brand**

**DIALUX® - the World's Number 1 compound brand for the Jewellery and Denture polishing industry.**

- Small size compound bars (100x30x15mm).
- Individually packed in DIALUX® branded boxes
- Adheres well to mops and buffs.
- Perfect finishing.
- Suitable for gold, silver, chrome, platinum, titanium and plastic.
- Excellent price - performance ratio.

**DIALUX® - a complete range of compounds for all Jewellery, Denture and modelling applications.**

	SUPER FINISHING Article n°: L709-157085
	HARD METAL SUPER FINISHING (CHROME, PLATINUM) Article n°: L709-157086
	METAL AND PLASTIC FINISHING (DENTAL INDUSTRY) Article n°: L709-157087
	METAL AND PLASTIC SUPER FINISHING (DENTAL INDUSTRY) Article n°: L709-157088
	CUTTING NON FERROUS METAL AND PLASTIC Article n°: L709-157090
	METAL CUTTING Article n°: L709-157091
	SURFACE REFRESHING (STAINLESS STEEL) Article n°: L709-157089
	SUPER FINISHING (SILVER) Article n°: L709-157092

# Materials

## Available materials

### CHUNGKING

Strong, elastic and heat resistant. The filaments are first washed and boiled 3 times at more than 100°C over a period of 7 hours in order to eliminate all bacteria.



#### Chungking Bristle

Top quality - 90% full length guaranteed  
Sanitary certification available

### HORSE HAIR OR GOATS HAIR

The horse hair or goat hair first maintains the quality guarantees since the beginning of production. After the washing process, the hair is brushed to guarantee the final filament size.



#### Horse Hair or Goat Hair

Low capacity to absorb static. Good for polishing and cleaning residue.

### TAMPICO

Tampico Fibre is a natural fibre produced by the Agave plant (Mexico). Tampico fibre can be used dry or with compound which adheres well to the fibres.



#### Tampico

No accumulation of static, used for metal polishing even in applications where temperatures up to 450°C are reached.

### SYNTHETIC FIBRE - NYLON

Polyamide (PA) also referred to as Nylon Fibre is a thermoplastic material.



#### Nylon

Polyamide may be used for dusting, removing compound, cleaning liquid and grease, also in surface finishing.



#### Polypropylene

Water and chemical product resistance, used in galvanizing industries and similar

### ABRASIVE NON WOVEN

Non-woven abrasive consists of nylon fibres with abrasive grit particles and resin. Grit can be varied from 80 - 320 to achieve different finishing results.



#### Aluminium Oxide Non - Woven

### WIRE

All wire used is calibrated during drawing, no oils or other substances are present.



#### Crimped Steel

For a deep satin finish or for brushing and cleaning of hard materials.



#### Crimped Stainless Steel

To achieve a satin finish on non-ferrous metals.



#### Bessemer Steel

For a fine satin finish and for softer cleaning processes.



#### Brass

For a satin finish on non-ferrous metals.

### COTTON

Cotton cloth has a low flammability level is good for polishing and other fine finishing processes.



#### Regular Cotton Yarn

Treble twist



#### Twisted Cotton Yarn

3x3 twist



#### Cotton Cloth

Available in various grades - harder types for cutting, softer types for colouring.

### FIBRE

A non-woven material made with synthetic fibres and no abrasive. Good absorption capacity and low flammability.



#### Notiflex®

### FELT


A non-woven made with synthetic fibres and no abrasives. Available in various strengths. Used in cleaning operations with and without compounds.



#### Felt


### WHEEL BRUSHES WITH PLASTIC BODY - CONICAL BORE

Green Body - Black Extra Stiff Chungking  
Red Body - Black Stiff Chungking



Diameter	Rows	Type	Qty.	Black Chungking Extra Stiff	Black Chungking Stiff	Nylon
				Article N°	Article N°	Article N°
80	4	R	12	4034-401 961		4014-401 831
80	4	C	12	4004-401 961		
77	4	R	12		4044-401 961	
77	4	C	12		4014-401 961	
60	3	R	12	4944-401 961	4154-401 961	
60	3	C	12	4124-401 961	4134-401 961	
55	3	C	12	4164-401 961	4174-401 961	
55	3	R	12	4184-401 961	4194-401 961	
55	2	C	12	4204-401 961		
45	1	-	12	4224-401 916		

### WHEEL BRUSHES WITH WOOD BODY - CONICAL BORE



Diameter	Rows	Type	Qty.	Black Chungking Extra Stiff	Black Chungking Stiff	White Goat Hair
				Article N°	Article N°	Article N°
80	5	R	12	4004-301 961		
80	4	R	12		4044-301 961	4004-301 981
80	4	C	12		4014-301 961	
80	1	-	12		4324-301 961	
77	4	R	12			4054-301 961
77	4	C	12			4024-301 961
74	1	-	12		4304-301 961	
68	1	-	12		4284-301 961	
64	5	R	12		4444-301 961	
64	4	R	12		4454-301 961	

### WHEEL BRUSHES WITH PLASTIC BODY - CONICAL BORE - WIRE FILAMENT




Diameter	Rows	Type	Qty.	Crimped Brass 0,15 mm	Article N°	Article N°	Article N°
				Article N°			
100	4	R	12		4004-401 532		
80	4	R	12		4004-401 531		

### WHEEL BRUSHES WITH WOOD BODY - CONICAL BORE - WIRE FILAMENT

Diameter	Rows	Type	Qty.	Crimped Brass 0,15 mm	Crimped Brass 0,10 mm	Stainless Steel 0,15 mm
				Article N°	Article N°	Article N°
100	4	R	12	4004-301 532		
80	4	R	12	4004-301 531	4014-301 531	4004-301 321

# Brushes

## Wheel Brushes



### WHEEL BRUSHES WITH PLASTIC BODY - BORE Ø 10 mm

Green Body - Black Extra Stiff Chungking  
Red Body - Black Stiff Chungking

Diameter	Rows	Type	Qty.	Black Chungking Extra Stiff	Black Chungking Stiff	White Nylon Stiff
				Article N°	Article N°	Article N°
80	4	R	12	4744-401 961	4844-401 961	4114-401 831
80	4	C	12	4604-401 961		4104-401 831
75	4	C	12		4144-401 961	


Diameter	Rows	Type	Qty.	Black Nylon 0,40	White Nylon Extra Stiff	Article N°
				Article N°	Article N°	Article N°
90	4	C	12		4004-401 831	
80	4	C	12	6911-401 831		

### WHEEL BRUSHES WITH PLASTIC BODY - BORE Ø 10 mm

Green Body - Black Extra Stiff Chungking  
Red Body - Black Stiff Chungking

Diameter	Rows	Type	Qty.	Black Chungking Extra Stiff	White Nylon Stiff	White Nylon Extra Stiff
				Article N°	Article N°	Article N°
95	3	P	12		7101-401 841	4104-301 321
80	4	P	12	4424-301 961		

Diameter	Rows	Type	Qty.	White Nylon Hard	Article N°	Article N°
				Article N°	Article N°	Article N°
95	3	P	12	4204-301 321		



### WHEEL BRUSHES WITH METAL BODY - PLASTIC ADAPTOR

Diameter	Rows	Type	Qty.	Black Chungking Extra Stiff	White Chungking Stiff	Horse Hair Soft
				Article N°	Article N°	Article N°
70	1	-	12	4004-506 961		
48	1	-	12	4204-503 951	4004-503 951	4404-503 951

Diameter	Rows	Type	Qty.	Goat Hair Extra Soft	Crimped Brass	Stainless Steel
				Article N°	Article N°	Article N°
48	1	-	12	4004-503 981	4004-503 531	4004-503 321


Diameter	Rows	Type	Qty.	White Nylon Stiff	Article N°	Article N°
				Article N°	Article N°	Article N°
48	1	-	12	4004-503 831		





# Brushes

## Wheel Brushes with Shaft



### MINIATURE WHEEL BRUSHES WITH SHAFT

			A - Black Chungking Extra Stiff		B - White Bristle Stiff		C - Goat Hair	
D	Shaft	Qty.	Article N°	Article N°	Article N°	Article N°	Article N°	
22	2,34	12	4004-501 961	4014-501961	4014 501 981			
19	2,34	12		4034-501961	4054-501 981			
			D - Horse Hair Soft		E - Cotton		F - Natural Cotton Cloth	
D	Shaft	Qty.	Article N°	Article N°	Article N°	Article N°	Article N°	
22	2,34	12		4034-501 981	4124-501 981			
17,5	2,34	12	4004-501 951					
			G - White Cotton Cloth		H - Chamois		I - Felt	
D	Shaft	Qty.	Article N°	Article N°	Article N°	Article N°	Article N°	
22	2,34	12	4024-501 981	L160-001 773	4044-501 981			
			J - Felt 3 Ply		K - Tampico		L - Non-Woven Very Fine	
D	Shaft	Qty.	Article N°	Article N°	Article N°	Article N°	Article N°	
25	2,34	12				4004-501 981		
22	2,34	12	4004-501 983			L060-108 807		
32	3,18			9403-502 941				
			M - Non Woven Fine		N - Non Woven Compact		O - Crimped Brass	
D	Shaft	Qty.	Article N°	Article N°	Article N°	Article N°	Article N°	
22	2,34	12	L060-108 806	L060-108 804	4004-501 511			
			P - Straight Steel		Q - Crimped Stainless Steel		R - Nylon	
D	Shaft	Qty.	Article N°	Article N°	Article N°	Article N°	Article N°	
21	2,34	12				L100001738		
22	2,34	12	4004-501 311	4014-501 311				

Other sizes on request



### MINIATURE END BRUSH WITH SHAFT

			Black Chungking Extra Stiff		White Chungking Stiff		C - Goat Hair Extra Soft	
D	L	Shaft	Qty.	Article N°	Article N°	Article N°	Article N°	
5	10	2,34	12	4004-509 961	4044-509 961	4004-509 981		
			Crimped Brass		Crimped Stainless Steel		White Nylon	
D	L	Shaft	Qty.	Article N°	Article N°	Article N°	Article N°	
5	10	2,34	12	4004-509 521	4004-509 321	L100-001 747		

Other sizes on request

### MINIATURE CUP BRUSH WITH SHAFT




			Black Chungking Extra Stiff		White Chungking Stiff		C - Goat Hair Extra Soft	
D	Shaft	Qty.	Article N°	Article N°	Article N°	Article N°	Article N°	
12	2,34	12	L090-001 726	L090-001 727	L090-001 775			
			Crimped Brass		Crimped Stainless Steel		White Nylon	
D	Shaft	Qty.	Article N°	Article N°	Article N°	Article N°	Article N°	
12	2,34	12	L120-001 728	L120-001 729	L090-001 750			

Other sizes on request

# Felt

## Wheel Felt With Shaft




### FELT WITH SHAFT Ø 2,34 mm

					Felt		
D	d	Width	Type	Qty	Article N°	Article N°	Article N°
23		5	A	12	0001-023 009		
22		5	A	12	L050-001 666		
22		5	B	12	L050-001 672		
17		5	B	12	L050-001 674		
17		13	C	12	0001-017 013		
12		8	C	12	L050-001 646		
10		15	D	12	0001-010 015		
10		15	E	12	L050-001 640		
9	7	17	I	12	L050-001 647		
9		15	J	12	0001-009 015		
9		13	F	12	L050-001 639		
9		13	G	12	L050-001 642		
9			H	12	0001-000 009		
8		11	E	12	L050-001 641		
8		11	F	12	L050-001 643		
8		11	G	12	L050-001 644		
7		15	J	12	L050-001 645		

Other sizes on request

# Felt

## Wheel Felt With Bore




### FELT WITH BORE

					Felt Medium	Felt High Tenacity	Felt Hard
D	Width	Type	Qty	Article N°	Article N°	Article N°	
100	20	B	12	0001-100 020	L050-127 343	0011-100 020	
80	20	B	12	0001-080 020	L050-007 948	0011-080 020	
80	10	B	12			0011-080 010	
70	10	B	12			0011-070 010	
60	20	B	12	0001-060 020		0011-060 020	
60	10	A	12	0001-060 010	L050-001 635		
60	10	B	12	0021-060 010	L050-001 629	0011-060 010	
50	20	B	12			0011-050 020	
50	10	A	12	0001-050 010	L050-001 634		
50	10	B	12	0021-050 010	L050-001 628	0011-050 010	
40	10	A	12	0001-040 010	L050-001 633		
40	10	B	12	0021-040 010		0011-040 010	
30	60	C	12	0001-030 060	L050-129 051	0011-030 060	
30	10	A	12	0001-030 010			
25	55	C	12		L050-001 626		
25	50	C	12	0001-025 050	L050-001 625	0011-025 050	
25	45	C	12	0001-025 045		0011-025 045	
25	5	B	12	0001-025 005		0011-025 005	
22	5	A	12		L050-001 676		
22	5	B	12		L050-001 670		
20	50	C	12	0001-020 050	L050-001 624	0011-020 050	
20	40	C	12	0001-020 040	L050-001 623	0011-020 040	
20	35	C	12	0001-020 035	L050-001 622	0011-020 035	
18	45	C	12	0001-018 045		0011-018 045	
17	5	A	12		L050-001 677		
17	5	B	12		L050-001 671		
16	40	C	12	0001-016 040		0011-016 040	
15	25	C	12	0001-015 025	L050-001 621	0011-015 025	
14	35	C	12	0001-014 035	L050-115 269	0011-014 035	
12	35	C	12	0011-012 035	L050-115 268	0001-012 035	
10	35	C	12		L050-115 267		
10	20	C	12		L050-001 620		
10	14	C	12		L050-113 770		

Other sizes on request

# Brushes

## Hand Brushes



### HAND BRUSHES - PLASTIC BODY

					Steel	Stainless Steel	Brass
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
180	18	42	4	12		4004-465 324	
180	18	42	3	12	4004-465 133		4004-465 533
					Chungking	Horse Hair	Nylon
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
180	18	42	4	12	4004-465 964	4004-465 954	4004-465 824
180	18	42	3	12	4004-465 963	4004-465 953	



### HAND BRUSHES - DELICATE WORK - PLASTIC BODY

					Steel	Stainless Steel	Brass
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
133	18	40	3	12	1201-465 233	1201-465 333	1201-465 533
					Straight Nylon Fine	Straight Nylon Strong	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
133	18	40	3	12	1201-465 823	1201-465 833	



### HAND BRUSHES - PLASTIC BODY - "WATCHMAKER" TYPE

					Black Chungking Extra Stiff	Straight Nylon Fine	Straight Nylon Strong
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
220	18	100	5	12	4014-465 965	4004-465 815	4004-465 835
220	18	100	4	12	4004-465 984	4004-465 814	4004-465 834
					Crimped Brass 0,15mm	Stainless Steel	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
220	18	100	5	12	4004-465 535		
220	18	100	4	12	4004-465 534	4034-465 324	



### HAND BRUSHES - WOOD BODY

					Horse Hair Soft	Tampico	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
255	25	118	6	12		8901-152 946	
255	25	118	5	12	4004-152 955	4004-152 945	
255	25	118	4	12	4004-152 954	8901-152 944	
255	25	118	3	12		8901-152 943	





### HAND BRUSHES - WOOD BODY - DELICATE WORK

					Black Chungking Extra Stiff	Straight Nylon Fine	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
180	18	55	4	12	4004-165 964	4101-134 873	
180	18	55	3	12	4004-165 963		
165	18	55	1	12	4004-165 961		

# Brushes

## Hand Brushes



### HAND BRUSHES - WOOD BODY - "WATCHMAKER" TYPE

					A - Black Chungking Extra Stiff	A - White Chungking Extra Stiff	A - Goat Hair Extra Soft
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
224	18	100	6	12	4004-165 966	4014-165 966	
224	18	100	5	12	4014-165 965	4004-165 965	4014-165 985
220	18	100	4	12	0003-165 964	4014-165 964	4014-165 984
220	18	100	3	12	4024-165 963		
					B - Crimped Brass 0,10 mm	B - Crimped Brass 0,15 mm	C - Crimped St.Steel 0,10 mm
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
325	18	100	8	12	5401-165 518	4004-165 538	
224	18	100	6	12	4004-165 526	4004-165 536	
224	18	100	5	12	4004-165 525	4004-165 535	
220	18	100	4	12	4004-165 524	0003-165 584	4004-165 324
220	18	100	3	12	4004-165 523	4004-165 533	
					D - Straight Nylon Soft	D - Straight Nylon Hard	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
224	18	100	6	12	4014-165 836	4004-165 836	
224	18	100	5	12	4004-165 815	4004-165 835	
220	18	100	4	12	4004-165 814	4004-165 834	
220	18	100	3	12	4004-165 813	4004-165 833	

# Brushes

## Other hand brushes



### GENERAL HAND BRUSHES

					Crimped Brass	Straight Nylon Hard	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
170	12	20	3	12	5001-316 943		
162	14	42	3	12		8401-165 844	
105	18	43	6	12	5401-316 534		

### NAIL CLEANING BRUSHES

					Tampico	Tampico????	Tampico???? Doble Sided????
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
115	20	110	6	12	5001-202 940		
106	20/12	98	6/4	12			5401-202 940
106	20/12	98	6/4	12			5011-202 960
106	12	98	6	12		5001-202 960	

### HAND BRUSHES FOR FILING SCALE


					Steel with Wood Body	Steel with Plastic Body	
L	T	A		Qty.	Article N°	Article N°	Article N°
235	50	115		12		3008-140 102	
235	40	115		12	0003-140 102		
235	25	100		12	0003-140 101		
195	55	75		12		3008-140 103	

### CUTTING TOOL HAND BRUSHES

					Crimped Brass		
L	T			Qty.	Article N°	Article N°	Article N°
50	28			12	L120-001 606		

# Mops and Buffs

## Cotton and Cotton Cloth Buffs



C - CONVERGENT

### COTTON MOPS AND FIBRE WITH PLASTIC BODY, WOOD AND METAL

D	Rows	Type	Qty.	F - White Extra Cloth Fine	G - Cloth + Fibre Plastic Body	H - Cloth + Fibre Wood Body
				Article N°	Article N°	Article N°
100			12	4014-401 900		
80	3	C	12		4004-401 981	4014-301 981

### COTTON CLOTH BUFFS



D	E	Type	Qty.	Cotton Cloth Metal Core	Notiflex® 914	Notiflex® 925
				Article N°	Article N°	Article N°
100	30	2 Sections	12	L010-001 599		
100	15	1 Section	12	L010-001 598		
90	30	2 Sections	12	L010-001 595		


### COTTON CLOTHS STITCHED MOPS



D	Stitch	Sheets	Qty.	A - Natural Cotton Cloth	B - White Cotton Cloth	Article N°
				Article N°	Article N°	
110	2	45	12	4064-301 900	4104-301 900	
110	2	32	12	4054-301 900	4094-301 900	
100	3	42	12	4044-301 900	4084-301 900	
100	3	32	12	4034-301 900	4074-301 900	

# Brushes

## Cotton Brushes



### WHEEL BRUSHES WITH TWISTED COTTON YARN

D	Width	Type	Qty.	Cotton Yarn	Article N°	Article N°	Article N°
				Article N°			
100	20	A	12	4024-301 900			
90	20	D	12	4004-401 900			
80	20	B	12	4014-301 900			
80	38	B	12	L180-001 554			
60	30	C	12	4004-301 900			
60	20	C	12	L180-001 556			
50	20	C	12	L180-001 551			

# Wheels

## Lipprite / Lipprox Wheels



### NON-WOVEN WHEELS / LIPPRITE / LIPPROX

D	Face	Dens.	Qty.	A - Lipprite A2T (Coarse)	A - Lipprite A4T (Medium)	A - Lipprite A6T (Fine)
				Article N°	Article N°	Article N°
110	30	103	1	L8312073FR	L0312083FR	L0312093FR
110	25	103	1	L8312073ER	L0312083ER	L0312093ER
110	15	103	1	L8312073BR	L0312083BR	L0312093BR



Lipprite®



Lipprox®

D	Face	Dens.	Qty.	A - Lipprite A7T (Very Fine)	C - Lipprite A4MCP (Medium)	B - Lipprox A6T (Fine)
				Article N°	Article N°	Article N°
110	30	103	1	L8012103FR	L8015054FR	L0452431FR
110	25	103	1	L8012103ER	L8015054ER	L0452431ER
110	15	103	1	L8012103BR	L8015054BR	L0452431BR



Lipprite® A4MCP



Lipprite® + Coated Abrasive

D	Face	Dens.	Qty.	D - Lipprite A7T+ C.Abrasive Gr240	D - Lipprite A7T+ C.Abrasive Gr320	D - Lipprite A7T+ C.Abrasive Gr400
				Article N°	Article N°	Article N°
110	30	103	1	L0902124FR	L1002132FR	L1002140FR
110	25	103	1	L0902124ER	L1002132ER	L1002140ER
110	15	103	1	L0902124BR	L1002132BR	L1002140BR



# Dome Goblet Shape



## GOBLET BRUSHES / HEAD BRUSHES

D	L	Body	Qty.	Horse Hair	Tampico	Crimped Brass 0,08
				Article N°	Article N°	Article N°
150	160	Wood	1	2703-605 956	2703-605 946	2703-605 516
120	135	Wood	1	2703-605 955	2703-605 945	2703-605 515
100	120	Wood	1	2703-605 954	8213-605 944	2703-605 514
80	100	Wood	1	8903-605 953	8703-605 943	9103-605 513
70	100	Plastic	1	2703-605 953	2703-605 943	8703-605 553
60	90	Plastic	1	9103-605 952	9303-605 942	9103-605 512
50	90	Plastic	1	8703-605 952	2703-605 942	9113-605 512
40	70	Plastic	1	2713-605 951	8703-605 941	2703-605 511
30	50	Plastic	1	2703-605 951	2713-605 941	9803-605 511
25	47	Plastic	1	8703-605 951	2703-605 941	9103-605 511

Other sizes on request

# Other polishing products More information under [www.osborn.de](http://www.osborn.de)

Satinising Kit

Polishing Kit



Blister

To find out more about our range of products for the polishing industry, please check our website or contact our technical support services available at all facilities worldwide.



We are happy to discuss your branding on our blister packed products, please contact our sales departments for more information.





## **Osborn Sells Solutions**

### **The Global Leader in Surface Treatment Solutions and Finishing Tools**

- Abrasives
- ATB™ Power Brushes
- Chemical Products
- Load Runners
- Machines & Equipment
- Maintenance Brushes
- Polishing Buffs
- Polishing Compounds
- Punched/Staple-Set Brushes
- Road-Sweeping Brushes
- Strip Brushes
- Wide-Face Rollers
- Wire Power Brushes

#### **OSBORN Unipol Lda**

Rua de Pardelhas  
4805-062 Brito-Guimarães  
Portugal  
Tel.: +351 253479550  
Fax: +351 253576629  
osborn-unipol@osborn-unipol.pt

#### **OSBORN - Unipol, S.L.**

Ronda Norte, 320  
(Polígono Industrial) - Apartado 169  
46470 Catarroja (Valencia)  
España  
Tel.: +34 961325876  
Fax: +34 961324602  
ventas@osborn-unipol.es



**Finish. First.™**